




THUMPER FAB

Aluminum Audio Roofs • Roll Cages • UTV Accessories

Can Am Defender Rear Chassis Stiffener

SKU: TF040905



Thumper Fab

5103 Elysian Fields Rd, Marshall, TX 75672

Customer Service: 903-472-0928

www.thumperfab.com

Ver. 0924

Can Am Defender Rear Chassis Stiffener

SKU: TF040905




PARTS

REF	QTY	DESCRIPTION
1	1	Rear Chassis Stiffener
HARDWARE KIT		
A	2	M10-1.5x80mm Flange Head Bolt
B	2	M10-1.5x85mm Hex Head Bolt
C	4	M10-1.5 Flanged Nylon Lock Nut
D	4	M10 Flat Washer

TOOLS

- Drill
- 3/16" Drill Bit
- 15mm Socket
- 15mm Wrench



BEFORE YOU BEGIN

If you do not feel comfortable installing your Thumper Fab Rear Chassis Stiffener please see your nearest Can Am® Dealer for installation.

INSTALLATION INSTRUCTIONS

Installation Preparation

Jack up the unit and remove the wheels. Use the drill and a 3/16" drill bit to drill out the rivets fastening the factory rear chassis cover to the frame (**FIG 1**).



FIG 1 - Use 3/16" Drill bit to drill out rivets

Use the 15mm socket and the 15mm wrench to remove the factory hardware the bolts the rear most control arm bushing of the upper and lower control arm to the frame (**FIG 2**).



FIG 2 - Use 15mm Socket and 15mm Wrench to remove OEM bolts

INSTALLATION INSTRUCTIONS

Installation

Fasten the Rear Chassis Stiffener (1) to the rear of the frame using the 2 x M10-1.5x80mm flange head bolts (A) in the top 2 holes and the 2 x M10-1.5x85mm hex head bolts (B) and 2 x M10 flat washers (D) in the bottom 2 holes. Use the 4 x M10-1.5 flanged nylon lock nuts (C) to tighten hardware to factory specifications (FIG 3).



FIG 3 - Use 15mm Socket and 15mm Wrench to fasten stiffener to frame.

Reinstall the tires and lower the Defender to the ground. Enjoy your new Thumper Fab Rear Chassis Stiffener!!

INSTALLATION INSTRUCTIONS

The installation of products sold or manufactured by Thumper Fab including, but not limited to suspension components such as lift kits, control arms, frame stiffener kits, roofs, roll cages, and tires that exceed the original specifications for the vehicle, may change the vehicle's center of gravity and handling characteristics both on and off-road. You are aware that the installation of tires that are larger than original vehicle specifications may reduce the effectiveness of the braking system. Use of these products may place added stress to the original factory vehicle components which could cause them to weaken or possibly fail.

Products sold or manufactured by Thumper Fab are intended for off-road use only. Operation of a vehicle modified with these products on a road could result in serious bodily injury or death, and such operation may violate the laws of your state or municipality. You agree to operate your vehicle exclusively in the manner intended by the vehicle manufacturer. You agree that failure to safely and reasonably operate your vehicle could result in serious bodily injury or death, and that, as a result of installation of this product(s) to your vehicle, extreme care must be taken to prevent vehicle rollover or loss of control, which may be more likely to occur as a result of said modifications. You will avoid unsafe maneuvers, including sudden sharp turns or other abrupt maneuvers, which could make a vehicular accident more likely. You understand that Thumper Fab is not responsible or liable for any damages or any injuries to yourself or your passengers that could occur upon possible accidents due to driver error, incorrect installations, bad judgment, incompatibility with other aftermarket accessories or natural disasters to the fullest extent allowable by law. You will have all vehicle occupants fasten seat belts, if equipped, and wear proper safety equipment, such as DOT approved helmet and eye protection prior to operating the vehicle. You understand and acknowledge that failure to wear proper safety equipment may increase the risk of serious bodily injury or death to yourself and any passengers.

INSTALLATION INSTRUCTIONS

Proper installation of products sold or manufactured by Thumper Fab requires knowledge of the factory recommended procedures for removal and installation of original equipment components. Installation of these products without proper knowledge and experience may affect the performance of these components and the safety of the vehicle and cause serious bodily injury or death. It is strongly recommended that a certified mechanic familiar with the installation of similar components perform the product(s) installation.

Prior to installing any products sold or manufactured by Thumper Fab, you will perform or cause to be performed an inspection of their vehicle to confirm its condition is suitable for the installation of these products. A proper inspection of the vehicle includes confirmation that the vehicle has not been in a collision and is free of corrosion. If the vehicle is suspected to have been in a collision or misused, or is otherwise unsuitable for modification, you will not install the product(s). You will continue to inspect the vehicle prior to each use to confirm its condition is suitable for its intended use, and you acknowledge that the failure to do so may result in serious bodily injury or death, as well as damage to the vehicle itself.

You will install any warning labels provided with the product so it may be prominently seen by yourself and all passengers. You will notify all passengers of the modifications performed to your vehicle prior to operation.

Insurance companies may handle coverage of a modified vehicle differently. Please check with your insurance carrier prior to modifying the vehicle to ensure your coverage remains sufficient.

Installation of this product(s) may void your vehicle warranty. If this is a concern, please check with the manufacturer or dealer before purchase or installation of this product(s).



THUMPER FAB

Thumper Fab

5103 Elysian Fields Rd, Marshall, TX 75672

Customer Service: 903-472-0928

www.thumperfab.com